



D

ADHESIVE SCIENCE



## Print Vinyl + Laminate Catalog 2025

Free same-day delivery to Long Island

## Contact Erik for orders - (631) 617-7422



| Item                                      |                            | Description   | Finish      | Material Grade                 | USE FOR                              | EST. LIFESPAN | INTERESTED |
|---|----------------------------|---|-------------|--------------------------------|--------------------------------------|---------------|------------|
| Permanent Print Media                     |                            |   |             |                                |                                      |               |            |
| Polar<br>Premium Air<br>(54''x150')       | DRYTAC<br>Adhesive science | 3.2 mil. Grey permanent adhesive<br>with air release. Install<br>temperature down to -5 F.      | Gloss/Matte | Polymeric<br>Calendered<br>PVC | LONG TERM<br>SIGNAGE                 | 7 Years       |            |
| 4500<br>(54" x 150')                      | ARLON                      | 3 mil. Grey permanent adhesive with air release.  | Gloss/Matte | Mixed<br>Calendered<br>PVC     | LONG TERM<br>SIGNAGE                 | 5 Years       |            |
| Layflat<br>(54" x 164')                   | MELLO                      | 4 mil. Grey permanent adhesive.<br>Mid-high tack.   | Gloss/Matte | Monomeric<br>Calendered<br>PVC | MOUNT TO<br>SUBSTRATE                | 3 Years       |            |
|   |                            | Removable P   | rint Media  | l                              |                                      | I             | INTERESTED |
| Spot On Matte<br>(54" x 164')             | DRYTAC<br>Adhesive science | 4 mil. Removable egress <b>"dot"</b><br>adhesive for easy-on, easy-off<br>installation process. | Matte       | Monomeric<br>Calendered<br>PVC | SHORT TERM<br>REMOVABLE<br>GRAPHICS  | 2 Years       |            |
| Polar<br>Smooth 150 Air R<br>(54" x 150') | DRYTAC<br>Adhesive science | 6 mil. Removable adhesive with air egress. High tack removable.                                 | Matte       | Polymeric<br>Calendered<br>PVC | LONG TERM<br>REMOVABLE<br>GRAPHICS   | 5 Years       |            |
| 4200 Matte<br>(54" x 150')                | ARLON                      | 6 mil. Clear permanent adhesive.<br>Removable up to 1 year.                                     | Matte       | Polymeric<br>Calendered<br>PVC | LONG TERM<br>INDOOR<br>GRAPHICS      | 7 Years       |            |
| 4200 Canvas<br>(54" x 150')               | ARLON                      | 6 mil. Clear permanent adhesive.<br>Removable up to 1 year.                                     | Canvas      | Polymeric<br>Calendered<br>PVC | INDOOR<br>GRAPHICS                   | 7 Years       |            |
| Polar<br>Sandtac Floor<br>(60" x 98')     | DRYTAC<br>Adhesive science | 7 mil textured. Removable<br>adhesive for easy-on, easy-off<br>installation process.            | Matte       | Monomeric<br>Calendered<br>PVC | FLOORS                               | 6 Months      |            |
| Synthetic Paper<br>(54" x 164')           |                            | 6 mil tear and water resistant<br>polypropelene <b>photo paper</b> .                            | Satin       | Polypropelene                  | POSTERS                              | N/A           |            |
| Rollup Display<br>(36"/50" x 100')        |                            | 9 mil white with grey back. Anti-<br>curl for <b>rollup displays</b> .                          | Luster      | PVC/PET/PVC<br>Calendered      | BANNER<br>STANDS, POP<br>UP DISPLAYS | N/A           |            |

| Item                      |            | Description   | Finish Material Grad |                                | USE FOR                               | EST. LIFESPAN |  |
|---------------------------|------------|---|----------------------|--------------------------------|---------------------------------------|---------------|--|
| Vehicle Wrap Print Media  |            |   |                      |                                |                                       |               |  |
| SLX+<br>(54'' x 150')     | ARLON      | 2 mil cast. <b>Highest performance.</b><br>Easily repositionable grey<br>adhesive with air release.                               | Gloss                | Cast PVC                       | FULL VEHICLE<br>WRAP                  | 7 Years       |  |
| 4600<br>(54" x 150')      | ARLON      | 3.2 mil. Grey permanent adhesive with air release.  | Gloss/Matte          | Polymeric<br>Calendered<br>PVC | FLAT VEHICLE<br>WRAP                  | 7 Years       |  |
| 4400<br>(54" x 150')      | ARLON      | 3.5 mil. Cold weather rated<br>adhesive with air release. High<br>tack removable.   | Satin                | Polymeric<br>Calendered<br>PVC | FLAT VEHICLE<br>WRAP                  | 7 Years       |  |
| 2400<br>(48" x 30'/75')   | ARLON      | 5 mil <b>vehicle-grade reflective</b> .<br>Grey repositionable adhesive with<br>air release.                                      | Gloss                | Cast PVC                       | EMERGENCY<br>VEHICLE WRAP,<br>SIGNAGE | 7 Years       |  |
| High Tack Print Media     |            |   |                      |                                |                                       |               |  |
| 8000<br>(54" x 150')      | ARLON      | 3.5 mil <b>ultra tack</b> . Clear<br>permanent adhesive. Highest<br>" <b>stick</b> " level available in the<br>graphics industry. | Satin                | Polymeric<br>Calendered<br>PVC | HARD TO STICK<br>SURFACES             | 7 Years       |  |
| 8200X<br>x 150')          | ARLON (54" | 3.5 mil <b>high tack</b> . Clear permanent adhesive. <b>Air escape.</b>   | Satin                | Polymeric<br>Calendered<br>PVC | HARD TO STICK<br>SURFACES             | 7 Years       |  |
| 510HT<br>(54" x 150')     | ARLON      | 3.2 mil <b>high tack</b> . Grey permanent adhesive.   | Gloss                | Monomeric<br>Calendered<br>PVC | HARD TO STICK<br>SURFACES             | 3 Years       |  |
| Fast Floor<br>(54" x 82') |            | 11 mil <b>textured</b> . Durable for floor<br>graphics. High-tack adhesive.   | Matte                | Monomeric<br>Calendered<br>PVC | FLOORS                                | N/A           |  |

| Item                            |                            | Description   | Finish            | Material Grade                 | USE FOR                             | EST. LIFESPAN |            |  |
|---------------------------------|----------------------------|---|-------------------|--------------------------------|-------------------------------------|---------------|------------|--|
| Window Graphic Print Media      |                            |   |                   |                                |                                     |               | INTERESTED |  |
| Window Perf<br>(54" x 164')     |                            | 6.3 mil perforated. White front with<br>black back. Clear removable<br>adhesive. 60/40, 70/30, 80/20.                   | Satin             | Monomeric<br>Calendered<br>PVC | WINDOWS                             | 3 Years       |            |  |
| Ever Etched Cal<br>(54" x 150') | ARLON                      | 3 mil "Etched Glass". Low-initial<br>tack adhesive with air release for<br>fast dry installation of window<br>graphics. | Etched Glass      | Polymeric<br>Calendered<br>PVC | WINDOWS                             | 7 Years       |            |  |
| Spot On Clear<br>(54" x 164')   | DRYTAC<br>Adhesive science | 4 mil clear with clear "dot"<br>removable egress adhesive.  | Matte             | Monomeric<br>Calendered<br>PVC | WINDOWS,<br>SECOND<br>SUFRACE       | 3 Years       |            |  |
| OptiClear Print<br>(54" x 164') |                            | 4 mil optically clear. Compatible<br>with latex, UV, and solvent ink<br>printers.                                       | Gloss             | Monomeric<br>Calendered<br>PVC | WINDOWS,<br>SECOND<br>SUFRACE       | 3 Years       |            |  |
| Laminate for Print Media        |                            |   |                   |                                |                                     |               |            |  |
| Series 3200<br>(54" x 150')     | ARLON                      | 2 mil. <b>Optically clear</b> . Best performance for wraps.   | High Gloss        | Cast PVC                       | PROTECTION<br>FOR VEHICLE<br>WRAP   | 7 Years       |            |  |
| Series 3170<br>(54" x 150')     | ARLON                      | 1.3 mil. <b>Best seller</b> for wrap<br>protection. 48" available for<br>reflective graphics.                           | Gloss/Matte       | Cast PVC                       | PROTECTION<br>FOR VEHICLE<br>WRAP   | 7 Years       |            |  |
| Weathershield<br>(54" x 150')   | DRYTAC<br>Adhesive science | 3.2mil. Longer term general-use laminate.   | Gloss/Matte       | Polymeric<br>Calendered<br>PVC | PROTECTION<br>FOR FLAT<br>GRAPHICS  | 7 Years       |            |  |
| Series 3420<br>(54" x 150')     | ARLON                      | 3 mil. Intermediate general-use laminate. Certified for floors.   | Gloss/Satin/Matte | Mixed<br>Calendered<br>PVC     | PROTECTION<br>FOR FLAT<br>GRAPHICS  | 5 Years       |            |  |
| Walk On Floor<br>(54" x 164')   |                            | 8 mil <b>textured</b> . Durable and slip resistant for floor graphics.  | Matte             | Monomeric<br>Calendered<br>PVC | PROTECTION<br>FOR FLOOR<br>GRAPHICS | N/A           |            |  |